

Courtenay Fire Department

PH : 334-2513 FAX : 897-1361

ENGINE 13 - APPARATUS - ENGINE 13

Service Records

Service Date	Type	Cost	Notes
Jan 17 2007	Monthly Inspection	0.00	Monthly inspection @ 28089 Miles 1150.3hrs. Foam head pad needed for FR kit.
Jan 17 2007	Inventory	0.00	Complete truck inventory check
Feb 20 2007	Monthly Inspection	0.00	1 Traffic radio faulty & taken out of service. @ 28439.8miles @ 1150.3hrs
Feb 20 2007	Monthly Inspection	0.00	@28439.8 1150.3hrs 1-glucose tube needed saline all saline replaced. 1 traf...
Mar 23 2007	Monthly Inspection	0.00	@ 28701km, 11503hrs
Apr 23 2007	Monthly Inspection	0.00	Done @ 29288.2km, 1150.3hr l/f spot lite repaired, 1 foam head pad needed, l...
May 3 2007	Inventory	0.00	
Jun 6 2007	Annau Inspection	0.00	Oil change and annual vehicle inspection.
Jun 20 2007	Monthly Inspection	0.00	@ 29603km, 1150.3 hrs 80L of foam added, l/f spot lite bulb contacts burnt
Jul 20 2007	Monthly Inspection	0.00	@ 29686km 1153hrs
Aug 17 2007	Monthly Inspection	0.00	29780ks 1155.1 hrs Remove l.f. compartment light rusted replaced. floto pump...
Aug 22 2007	Maintenance	40.00	Installed pressure relief o-ring kit. (Rick)
Sep 12 2007	Monthly Inspection	0.00	Mothly inspection
Sep 17 2007	Inventory	0.00	inventory. Terry.
Oct 19 2007	Monthly Inspection	0.00	Monthly inspection.
Nov 15 2007	Monthly Inspection	0.00	Monthly Check (Terry)
Dec 4 2007	Maintenance	0.00	Replaced foam supply hose. Rick
Dec 13 2007	Monthly Inspection	0.00	Monthly inspection. 30036k 1155.1hr
Dec 27 2007	Annau Inspection	0.00	Annau pump Test. Profire
Jan 14 2008	Monthly Inspection	0.00	Monthly check. 30199ks 1155.1hrs
Jan 25 2008	Maintenance	0.00	Replaced tach on pump panel. Rick
Feb 18 2008	Maintenance	0.00	Replaced right lower mirror running light. Rick
Feb 21 2008	Monthly Inspection	0.00	Monthly check. 30304.9ks 1155.1 hrs
Mar 5 2008	Inventory	0.00	Inventory. Terry
Mar 18 2008	Monthly Inspection	0.00	Monthly check 30404.9 ks 1155.1 hs
Apr 14 2008	Monthly Inspection	0.00	@ 30505.4Km 1155.1Hrs
May 15 2008	Maintenance	0.00	Repaired foam system. Supply valve connected wrong. Rick
May 15 2008	Monthly Inspection	0.00	Monthly check. 30612.9ks 1155.1 hrs
Jun 4 2008	Annau Inspection	0.00	Annual service and MVI. Southside.
Jun 4 2008	Annau Inspection	0.00	Annual service and MVI. Southside.
Jul 22 2008	Monthly Inspection	0.00	monthly check. 30797ks 11551hrs
Jul 24 2008	Annau Inspection	0.00	Annual pump service. Pump test not done at this time.
Sep 15 2008	Monthly Inspection	0.00	Monthly check 30996ks 1155.1 hrs
Sep 16 2008	Monthly Inspection	0.00	Monthly check. 54624ks 2538.4 hrs
Oct 22 2008	Monthly Inspection	0.00	Monthly check 31077ks 1155.1 hrs
Nov 17 2008	Monthly Inspection	0.00	Monthly check. 31114ks 1155.1hrs
Jan 23 2009	Monthly Inspection	0.00	
Feb 16 2009	Monthly Inspection	0.00	Monthly check 31198ks 1155hrs

Courtenay Fire Department

ENGINE 13 - APPARATUS - ENGINE 13

Service Records

Service Date	Type	Cost	Notes
Mar 26 2009	Monthly Inspection	0.00	@ 31282km 1155Hr
Apr 22 2009	Monthly Inspection	0.00	@ 31286km, 1155hr
Apr 23 2009	Inventory	0.00	
May 22 2009	Monthly Inspection	0.00	
Jun 23 2009	Monthly Inspection	0.00	@ 31330km, 1155hrs
Jun 24 2009	Annau Inspection	0.00	Annual service and MVI. Nelsons
Jul 28 2009	Monthly Inspection	0.00	@ 31467.4km
Aug 27 2009	Monthly Inspection	0.00	@ 31484KM Hour meter NFG
Aug 28 2009	Annau Inspection	0.00	Annual pump test. Profire
Sep 28 2009	Monthly Inspection	0.00	@ 31502KM
Dec 1 2009	Monthly Inspection	0.00	Monthly check. Chief
Jan 26 2010	Monthly Inspection	0.00	Monthly check. Jonathon
Jan 26 2010	Inventory	0.00	j Welsh
Feb 3 2010	Monthly Inspection	0.00	Mileage - 31562km Hours - 1155 no issues welsh
Feb 9 2010	Maintenance	0.00	Replaced hour meter. Old meter read 1155.5 last worked in 2007. Rick
Mar 29 2010	Monthly Inspection	0.00	Miles - 31583
Apr 29 2010	Monthly Inspection	0.00	hours - 285 Mileage - 31606 welsh
May 31 2010	Monthly Inspection	0.00	no issues
Jun 9 2010	Annau Inspection	0.00	Annual MVI and Service. Nelsons
Jun 21 2010	Monthly Inspection	0.00	Added Electrolyte replacement packets. Completed Inventory check
Aug 24 2010	Monthly Inspection	0.00	Monthly Check. Rick 31745ks 9.7hrs
Aug 31 2010	Annau Inspection	0.00	Annual Pump service and flow test.Profire
Sep 30 2010	Inventory	0.00	Inventory. Jon
Jan 11 2011	Inventory	0.00	Complete inventory check - Cary
Apr 14 2011	Inventory	0.00	Complete inventory check - Cary
Jun 8 2011	Annau Inspection	0.00	Annual MVI & Service - Nelsons
Jul 14 2011	Inventory	0.00	Complete inventory Check - Cary
Aug 25 2011	Annau Inspection	0.00	Annual Pump Service with ProFire
Aug 30 2011	Quarterly Inspection	0.00	Annual Pump Test at Comox FD test pit - Cary
Oct 27 2011	Inventory	0.00	Complete inventory check - Cary
May 8 2012	Quarterly Inspection	0.00	Full inventory check completed. Jonathan Welsh
Jun 20 2012	Annau Inspection	0.00	MVI & Oil Change at nelsons mechanical
Jul 9 2012	Maintenance	0.00	Replaced air filter Topped up coolant
Jul 24 2012	Maintenance	0.00	Annual Pump Service with ProFire Cleaned out debris in foam line Cleaned and...
Jul 26 2012	Maintenance	0.00	Installed new tachometer and calibrated (part from Hub) -Cary
Jul 27 2012	Maintenance	2944.22	Replaced filter assembly for Racor style fuel filter Resealed fuel injector ...
Jul 30 2012	Maintenance	0.00	Replaced rear left/center seat belt(found melted on exhaust) Cary
Jul 30 2012	Maintenance	0.00	Engine still runs rough and requires fuel prime after Nelsons had pump sent ...
Aug 1 2012	Maintenance	1018.64	Diagnosed hard start/stall Diagnosed fuel system and traced to fuel injecto...

Courtenay Fire Department

ENGINE 13 - APPARATUS - ENGINE 13

Service Records

Service Date	Type	Cost	Notes
Aug 7 2012	Maintenance	1523.22	Replaced all 8 fuel injectors - Nelson Mechanical
Aug 15 2012	Annau Inspection	0.00	Annual Pump Test at Comox FD test pit - Cary
Aug 28 2012	Maintenance	0.00	Re-plumbed A-Foam line from foam tank with new Y-strainer and placed the shu...
Dec 11 2012	Maintenance	1200.00	Installed new trailer hitch at Grey Rock welding
Jan 3 2013	Quarterly Inspection	0.00	Full inventory check completed - welsh
May 13 2013	Quarterly Inspection	0.00	Full inventory check completed - Welsh
Jun 4 2013	Maintenance	0.00	Injector issues again Sent injection pump and all injectors out for bench te...
Jun 7 2013	Maintenance	327.43	Annual service Nelsosns Mechanical
Jun 7 2013	Annau Inspection	157.97	Annual MVI Nelsons mechanical
Jun 26 2013	Quarterly Inspection	0.00	Full quarterly inspection completed - welsh
Aug 7 2013	Annau Inspection	0.00	Annual Pump Test at Comox FD test pit - Cary
Aug 21 2013	Annau Inspection	0.00	Annual Pump Service with ProFire
Sep 17 2013	Quarterly Inspection	0.00	Full inventory check completed - Welsh
Jan 16 2014	Quarterly Inspection	0.00	full inventory
Apr 10 2014	Maintenance	288.20	Drivers door handle broke off from the inside Replaced door release mechanis...
May 15 2014	Quarterly Inspection	0.00	
Jun 12 2014	Annau Inspection	157.97	Annual CVI at Nelsons
Jun 12 2014	Maintenance	391.37	Annual oil change and service at Nelsons
Jul 9 2014	Maintenance	748.70	Annual Pump Service with ProFire Replaced 3" - 4" nipple on relay port outle...
Jul 14 2014	Maintenance	30.00	Replaced l/f lower compartment dome light and micro switch Replaced l/r lowe...
Jul 24 2014	Quarterly Inspection	0.00	Full inventory completed.
Aug 12 2014	Annau Inspection	0.00	Annual Pump Test at Comox FD test pit - Cary
Sep 4 2014	Maintenance	0.00	Drivers window fell down again inside and had to be put back on track. Shimm...
Nov 14 2014	Quarterly Inspection	0.00	full inventory completed!
Jan 12 2015	Quarterly Inspection	0.00	
Apr 15 2015	Quarterly Inspection	0.00	full inventory
Apr 29 2015	Maintenance	50.00	Upper radiator hose leaking and getting soft -replaced with new hose and top...
Jun 24 2015	Maintenance	434.69	Annual service Nelsons mechanical Hard start diagnosis
Jun 24 2015	Annau Inspection	157.97	Annual CVI Nelsons Mechanical
Aug 6 2015	Annau Inspection	571.78	Annual Pump Service with ProFire -Replaced #5 discharge gauge -Batteries noted
Oct 14 2015	Annau Inspection	0.00	Annual Pump Test at the Courtenay training test site - Cary
Jun 22 2016	Annau Inspection	157.97	Annual CVI - Nelsons
Nov 8 2016	Annau Inspection	0.00	Annual Pump Test at the Courtenay training test site - Cary
Dec 1 2016	Maintenance	573.64	Batteries replaced -NAPA invoice #154-584414
Feb 1 2017	Maintenance	0.00	Coolant lines brittle & leaking -Nelsons replaced all coolant lines that sho...
Mar 1 2017	Maintenance	0.00	Stall and no start- Nelsons mechanical diagnosed fuel system.
Mar 27 2017	Maintenance	0.00	Performed pump performace tests to confirm pump and valves operate Pretrip ...
Jun 21 2017	Annau Inspection	166.41	Annual CVI Nelsons
Jun 21 2017	Maintenance	476.26	Annual Service Nelsons

Courtenay Fire Department

ENGINE 13 - APPARATUS - ENGINE 13

Service Records

Service Date	Type	Cost	Notes
Jul 20 2017	Annual Inspection	759.86	Annual Pump service by Profire Replaced discharge gauges 3,6, rear transvers...
Aug 14 2017	Maintenance	347.42	Replaced 4 2.5" pump panel gauges
Sep 11 2017	Annual Inspection	0.00	Annual Pump Test at the Courtenay training test site
May 1 2018	Maintenance	541.62	Power steering cooler replaced - leaking at inlet nipple. Repaired radiator ...
Jun 21 2018	Annual Inspection	173.05	Annual CVI Eddies Equipment
Nov 13 2018	Annual Inspection	0.00	Annual Pump Test at the Courtenay training test site
Dec 20 2018	Maintenance	50.00	Replaced on board battery charger
Jan 22 2019	Maintenance	0.00	Added Stanedyne fuel treatment
Feb 14 2019	Quarterly Inspection	0.00	
Jun 13 2019	Annual Inspection	0.00	Annual CVI Eddies Equipment
Jun 13 2019	Maintenance	672.10	Annual Service Eddies Equipment WO#1607

127 Records Printed